

according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended

Creation Date 08-Apr-2019 Revision Date 09-Feb-2024 Revision Number 9

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product Description: Ficodox Plus - mixed COD reagent
Cat No.: J/4010/17, J/4010/PB17, J/4010/15

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Laboratory chemicals. Uses advised against No Information available

1.3. Details of the supplier of the safety data sheet

Company

UK entity/business name

Fisher Scientific UK

Bishop Meadow Road, Loughborough, Leicestershire LE11 5RG, United Kingdom

**EU entity/business name** Thermo Fisher Scientific Janssen Pharmaceuticalaan 3a

2440 Geel, Belgium

E-mail address begel.sdsdesk@thermofisher.com

1.4. Emergency telephone number

Tel: 01509 231166

Chemtrec US: (800) 424-9300 Chemtrec EU: 001-703-527-3887

### **SECTION 2: HAZARDS IDENTIFICATION**

#### 2.1. Classification of the substance or mixture

CLP Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567

**Physical hazards** 

Substances/mixtures corrosive to metal Category 1 (H290)

**Health hazards** 

Skin Corrosion/Irritation Category 1 A (H314)

Revision Date 09-Feb-2024

#### Ficodox Plus - mixed COD reagent

Serious Eye Damage/Eye Irritation Category 1 (H318)
Germ Cell Mutagenicity Category 1B (H340)
Carcinogenicity Category 1B (H350)

**Environmental hazards** 

Acute aquatic toxicity

Chronic aquatic toxicity

Category 1 (H400)

Category 1 (H410)

Full text of Hazard Statements: see section 16

#### 2.2. Label elements

Contains Sulphuric Acid



#### Signal Word

**Danger** 

#### **Hazard Statements**

H290 - May be corrosive to metals

H314 - Causes severe skin burns and eye damage

H340 - May cause genetic defects

H350 - May cause cancer

H410 - Very toxic to aquatic life with long lasting effects

EUH208 - Contains Potassium dichromate. May produce an allergic reaction

#### **Precautionary Statements**

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P301 + P330 + P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor/physician

#### Additional EU labelling

Restricted to professional users

### 2.3. Other hazards

This product does not contain any known or suspected endocrine disruptors

### **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

#### 3.2. Mixtures

Component	CAS No	EC No	Weight %	CLP Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567
Sulfuric acid	7664-93-9	231-639-5	85	Skin Corr. 1A (H314)
				Eye Dam. 1 (H318)
Chromium (III) potassium sulfate,	7788-99-0		0.25 - 0.5	Skin Irrit. 2 (H315)

Revision Date 09-Feb-2024

#### Ficodox Plus - mixed COD reagent

dodecahydrate				Eye Irrit. 2 (H319)
Sulfuric acid, disilver(1+) salt	10294-26-5	233-653-7	0.25 - 0.5	Eye Dam. 1 (H318)
				Aquatic Acute 1 (H400)
				Aquatic Chronic 1 (H410)
Potassium dichromate	7778-50-9	EEC No. 231-906-6	0.1	Ox. Sol. 2 (H272)
				Acute Tox. 3 (H301)
				Acute Tox. 2 (H330)
				Acute Tox. 4 (H312)
				Skin Corr. 1B (H314)
				Eye Dam. 1 (H318)
				Resp. Sens. 1 (H334)
				Skin Sens. 1 (H317)
				Muta. 1B (H340)
				Carc. 1B (H350)
				Repr. 1B (H360FD)
				STOT RE 1 (H372)
				Aquatic Acute 1 (H400)
				Aquatic Chronic 1 (H410)
Water	7732-18-5	231-791-2	14	-

Component	Specific concentration limits (SCL's)	M-Factor	Component notes
Sulfuric acid	Skin Corr. 1A :: C>=15% Eye Irrit. 2 :: 5%<=C<15% Skin Irrit. 2 :: 5%<=C<15%	-	-
Sulfuric acid, disilver(1+) salt	-	1000 (acute) 100 (Chronic)	-
Potassium dichromate	STOT SE 3 (H335) :: C>=5%	1	-

Components	Reach Registration Number	
Silver sulfate	01-2119918297-31	
Sulfuric acid	01-2119458838-20	

Full text of Hazard Statements: see section 16

### **SECTION 4: FIRST AID MEASURES**

#### 4.1. Description of first aid measures

**General Advice** Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required.

**Eye Contact** Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Immediate medical attention is required.

**Skin Contact** Wash off immediately with plenty of water for at least 15 minutes. Remove and wash

contaminated clothing and gloves, including the inside, before re-use. Call a physician

immediately.

**Ingestion** Do NOT induce vomiting. Clean mouth with water. Never give anything by mouth to an

unconscious person. Call a physician immediately.

**Inhalation** If not breathing, give artificial respiration. Remove from exposure, lie down. Do not use

mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory

medical device. Call a physician immediately.

Self-Protection of the First Aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination.

### 4.2. Most important symptoms and effects, both acute and delayed

Causes burns by all exposure routes. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should

### Ficodox Plus - mixed COD reagent

Revision Date 09-Feb-2024

be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation

### 4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

### **SECTION 5: FIREFIGHTING MEASURES**

### 5.1. Extinguishing media

#### Suitable Extinguishing Media

CO<sub>2</sub>, dry chemical, dry sand, alcohol-resistant foam.

### Extinguishing media which must not be used for safety reasons

No information available.

#### 5.2. Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating gases and vapors. The product causes burns of eyes, skin and mucous membranes.

#### **Hazardous Combustion Products**

Sulfur oxides, Heavy metal oxides.

### 5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

### SECTION 6: ACCIDENTAL RELEASE MEASURES

#### 6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

### 6.2. Environmental precautions

Should not be released into the environment. Do not flush into surface water or sanitary sewer system. Do not allow material to contaminate ground water system.

#### 6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal.

### 6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

### **SECTION 7: HANDLING AND STORAGE**

#### 7.1. Precautions for safe handling

Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Do not breathe mist/vapors/spray. Do not ingest. If swallowed then seek immediate medical assistance.

### **Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do

#### Ficodox Plus - mixed COD reagent

Revision Date 09-Feb-2024

not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

#### 7.2. Conditions for safe storage, including any incompatibilities

Corrosives area. Keep containers tightly closed in a dry, cool and well-ventilated place.

Technical Rules for Hazardous Substances (TRGS) 510 Storage Class (LGK) (Germany)

Class 6.1D

### 7.3. Specific end use(s)

Use in laboratories

### **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

### 8.1. Control parameters

#### **Exposure limits**

List source(s): **EU** - Commission Directive (EU) 2019/1831 of 24 October 2019 establishing a fifth list of indicative occupational exposure limit values pursuant to Council Directive 98/24/EC and amending Commission Directive 2000/39/EC **UK** - EH40/2005 Work Exposure Limits, Fourth edition. Published 2020. **IRE** - 2021 Code of Practice for the Chemical Agents Regulations, Schedule 1. Published by the Health and Safety Authority

Component	The United Kingdom	European Union	Ireland
Sulfuric acid	STEL: 0.15 mg/m <sup>3</sup> 15 min	TWA: 0.05 mg/m <sup>3</sup> (8h)	TWA: 0.05 ppm 8 hr.
	TWA: 0.05 mg/m <sup>3</sup> 8 hr		STEL: 0.15 ppm 15 min
Chromium (III) potassium sulfate, dodecahydrate	STEL: 1.5 mg/m <sup>3</sup> 15 min		
	TWA: 0.5 mg/m <sup>3</sup> 8 hr		
Sulfuric acid, disilver(1+) salt	STEL: 0.03 mg/m <sup>3</sup> 15 min	TWA: 0.01 mg/m <sup>3</sup> (8hr)	
	TWA: 0.01 mg/m <sup>3</sup> 8 hr		
Potassium dichromate	STEL: 0.03 mg/m <sup>3</sup> 15 min		
	STEL: 0.065 mg/m <sup>3</sup> 15 min		
	TWA: 0.01 mg/m <sup>3</sup> 8 hr		
	TWA: 0.025 mg/m <sup>3</sup> 8 hr		
	Carc. as Cr		
	Resp. Sens.		

### **Biological limit values**

List source(s):

### Derived No Effect Level (DNEL) / Derived Minimum Effect Level (DMEL)

See table for values

Component	Acute effects local (Inhalation)	Acute effects systemic (Inhalation)	Chronic effects local (Inhalation)	Chronic effects systemic (Inhalation)
Sulfuric acid 7664-93-9 ( 85 )	DNEL = 0.1mg/m <sup>3</sup>		DNEL = 0.05mg/m <sup>3</sup>	
Potassium dichromate 7778-50-9 ( 0.1 )	DMEL = 0.01mg/m <sup>3</sup>		DMEL = 0.01mg/m <sup>3</sup>	

### **Predicted No Effect Concentration (PNEC)**

See values below.

Component	Fresh water	Fresh water	Water Intermittent Microorganisms in Soil (Agricultur	termittent Microorganisms in Soil (Agricultu	e)
		sediment	sewage treatment	sewage treatment	
Sulfuric acid	PNEC =	PNEC =	PNEC = 8.8mg/L	PNEC = 8.8mg/L	

Revision Date 09-Feb-2024

### Ficodox Plus - mixed COD reagent

7664-93-9 ( 85 )	0.0025mg/L	0.002mg/kg			
		sediment dw			
Sulfuric acid, disilver(1+)	PNEC = $0.04\mu g/L$	PNEC =		PNEC = 0.025 mg/L	PNEC =
salt		438.13mg/kg		-	0.794mg/kg soil dw
10294-26-5 ( 0.25 - 0.5 )		sediment dw			
Potassium dichromate	PNEC =	PNEC = 0.15mg/kg	PNEC =	PNEC = 0.21mg/L	PNEC =
7778-50-9 ( 0.1 )	0.00047mg/L	sediment dw	0.00047mg/L		0.035mg/kg soil dw

Component	Marine water	Marine water sediment	Marine water intermittent	Food chain	Air
Sulfuric acid	PNEC =	PNEC =	mommon		
7664-93-9 ( 85 )	0.00025mg/L	0.002mg/kg			
, ,	Ŭ	sediment dw			
Sulfuric acid, disilver(1+)	PNEC = 0.86µg/L	PNEC =			
salt		438.13mg/kg			
10294-26-5 ( 0.25 - 0.5 )		sediment dw			
Potassium dichromate		PNEC = 0.15mg/kg		PNEC = 17000g/kg	
7778-50-9 ( 0.1 )		sediment dw		food	

### 8.2. Exposure controls

#### **Engineering Measures**

Ensure that eyewash stations and safety showers are close to the workstation location.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Personal protective equipment

**Eye Protection** Goggles (European standard - EN 166)

Hand Protection Protective gloves

Glove material	Breakthrough time	Glove thickness	EU standard	Glove comments
Butyl rubber	See manufacturers	-	EN 374	(minimum requirement)
	recommendations			

**Skin and body protection** Long sleeved clothing.

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Respiratory Protection When workers are facing concentrations above the exposure limit they must use

appropriate certified respirators.

To protect the wearer, respiratory protective equipment must be the correct fit and be used

and maintained properly

Large scale/emergency use Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits

are exceeded or if irritation or other symptoms are experienced

Recommended Filter type: Particulates filter conforming to EN 143 Acid gases filter Type

E Yellow conforming to EN14387

Small scale/Laboratory use Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure

limits are exceeded or if irritation or other symptoms are experienced.

Recommended half mask:- Valve filtering: EN405; or; Half mask: EN140; plus filter, EN

141

When RPE is used a face piece Fit Test should be conducted

**Environmental exposure controls** Prevent product from entering drains.

Revision Date 09-Feb-2024

### **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

### 9.1. Information on basic physical and chemical properties

Physical State Liquid

Appearance Yellow - Brown

Odor
Odor No information available
No data available
No data available
No data available
3 °C / 37.4 °F
No data available
Boiling Point/Range
280 °C / 536 °F
Flammability (liquid)
No data available

Flammability (solid,gas) Not applicable Liquid

Explosion Limits No data available

Flash Point Not applicable Method - No information available

Autoignition Temperature No data available Decomposition Temperature No data available

pH

Viscosity

Water Solubility

Soluble in water

No information available

No information available

Partition Coefficient (n-octanol/water)

Vapor Pressure No data available

Density / Specific Gravity 1.84

Bulk DensityNot applicableLiquidVapor DensityNo data available(Air = 1.0)

Particle characteristics Not applicable (liquid)

9.2. Other information

VOC Content(%) 0

### **SECTION 10: STABILITY AND REACTIVITY**

10.1. Reactivity

None known, based on information available

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

**Hazardous Polymerization Hazardous Reactions**No information available.
None under normal processing.

10.4. Conditions to avoid

Incompatible products.

10.5. Incompatible materials

Bases. Amines. Organic materials.

10.6. Hazardous decomposition products

Sulfur oxides. Heavy metal oxides.

### **SECTION 11: TOXICOLOGICAL INFORMATION**

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Revision Date 09-Feb-2024

#### **Product Information**

(a) acute toxicity;

Oral Based on available data, the classification criteria are not met **Dermal** Based on available data, the classification criteria are not met Inhalation Based on available data, the classification criteria are not met

#### Toxicology data for the components

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Sulfuric acid	2140 mg/kg (Rat)	-	LC50 = 0.375 mg/L (Rat) 4 h
Potassium dichromate	130 mg/kg ( Rat )	1150 mg/kg (Rabbit)	0.09 mg/L/4h (Rat)
Water	-	-	-

(b) skin corrosion/irritation; Category 1 A

(c) serious eye damage/irritation; Category 1

(d) respiratory or skin sensitization;

Respiratory No data available Skin No data available

(e) germ cell mutagenicity; Category 1B

(f) carcinogenicity; Category 1B

The table below indicates whether each agency has listed any ingredient as a carcinogen

Component	EU	UK	Germany	IARC
Sulfuric acid				Group 1
Potassium dichromate	Carc Cat. 1B			Group 1

No data available (g) reproductive toxicity;

No data available (h) STOT-single exposure;

(i) STOT-repeated exposure; No data available

**Target Organs** No information available.

No data available (j) aspiration hazard;

Symptoms / effects,both acute and Product is a corrosive material. Use of gastric lavage or emesis is contraindicated.

delayed

Possible perforation of stomach or esophagus should be investigated. Ingestion causes

severe swelling, severe damage to the delicate tissue and danger of perforation.

### 11.2. Information on other hazards

**Endocrine Disrupting Properties** Assess endocrine disrupting properties for human health. This product does not contain any

known or suspected endocrine disruptors.

### **SECTION 12: ECOLOGICAL INFORMATION**

### **Ecotoxicity effects**

Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. May cause long-term adverse effects in the environment. Do not allow material to contaminate ground water system. The product contains following substances which are hazardous for the environment.

Component	Freshwater Fish	Water Flea	Freshwater Algae
Sulfuric acid	LC50: > 500 mg/L, 96h static (Brachydanio rerio)	EC50: 29 mg/L/24h	-
Potassium dichromate	LC50: 14 - 20.9 mg/L, 96h static (Pimephales promelas) LC50: 24.81 - 34.55 mg/L, 96h semi-static (Poecilia reticulata) LC50: 23 - 41.2 mg/L, 96h static (Poecilia reticulata) LC50: 15.41 - 30.36 mg/L, 96h flow-through (Pimephales promelas) LC50: > 139 mg/L, 96h static (Cyprinus carpio) LC50: 113.6 - 155.7 mg/L, 96h flow-through (Lepomis macrochirus) LC50: = 320 mg/L, 96h (Lepomis macrochirus) LC50: 65.6 - 137.6 mg/L, 96h static (Lepomis macrochirus) LC50: = 12.3 mg/L, 96h semi-static (Oncorhynchus mykiss) LC50: 21.209 - 30.046 mg/L, 96h semi-static (Oryzias latipes)	EC50: 1.4 mg/L 24h	

Component	Microtox	M-Factor
Sulfuric acid	-	
Chromium (III) potassium sulfate, dodecahydrate	= 10.7 mg/L EC50 Photobacterium phosphoreum 5 min as Cr3+ = 12.6 mg/L EC50 Photobacterium phosphoreum 10 min as Cr3+ = 15.3 mg/L EC50 Photobacterium phosphoreum 15 min as Cr3+ = 15.8 mg/L EC50 Photobacterium phosphoreum 20 min as Cr3+ = 16.0 mg/L EC50 Photobacterium phosphoreum	
	30 min as Cr3+	
Sulfuric acid, disilver(1+) salt		1000 (acute) 100 (Chronic)
Potassium dichromate		1

12.2. Persistence and degradability Product contains heavy metals. Discharge into the environment must be avoided. Special

pre-treatment is necessary

**Persistence** 

May persist, based on information available.

Degradation in sewage treatment plant

Contains substances known to be hazardous to the environment or not degradable in waste water treatment plants.

12.3. Bioaccumulative potential

May have some potential to bioaccumulate

12.4. Mobility in soil

The product is water soluble, and may spread in water systems Will likely be mobile in the environment due to its water solubility. Highly mobile in soils

12.5. Results of PBT and vPvB

No data available for assessment.

assessment

Ficodox Plus - mixed COD reagent

Revision Date 09-Feb-2024

12.6. Endocrine disrupting

properties

Endocrine Disruptor Information This product does not contain any known or suspected endocrine disruptors

12.7. Other adverse effects

Persistent Organic Pollutant Ozone Depletion Potential This product does not contain any known or suspected substance This product does not contain any known or suspected substance

### **SECTION 13: DISPOSAL CONSIDERATIONS**

13.1. Waste treatment methods

Waste from Residues/Unused

**Products** 

Waste is classified as hazardous. Dispose of in accordance with the European Directives

on waste and hazardous waste. Dispose of in accordance with local regulations.

**Contaminated Packaging** Dispose of this container to hazardous or special waste collection point.

European Waste Catalogue (EWC) According to the European Waste Catalog, Waste Codes are not product specific, but

application specific.

Other Information Do not flush to sewer. Waste codes should be assigned by the user based on the

application for which the product was used. Do not empty into drains. Large amounts will affect pH and harm aquatic organisms. Do not let this chemical enter the environment.

### **SECTION 14: TRANSPORT INFORMATION**

#### IMDG/IMO

**14.1. UN number** UN1830

14.2. UN proper shipping name SULPHURIC ACID SOLUTION

14.3. Transport hazard class(es) 8
14.4. Packing group II

<u>ADR</u>

<u>14.1. UN number</u> UN1830

14.2. UN proper shipping name SULPHURIC ACID SOLUTION

14.3. Transport hazard class(es) 8
14.4. Packing group 8

IATA

**14.1. UN number** UN1830

14.2. UN proper shipping name SULPHURIC ACID SOLUTION

14.3. Transport hazard class(es) 8
14.4. Packing group II

**14.5. Environmental hazards** No hazards identified

**14.6. Special precautions for user** No special precautions required.

<u>14.7. Maritime transport in bulk</u> Not applicable, packaged goods <u>according to IMO instruments</u>

### **SECTION 15: REGULATORY INFORMATION**

Revision Date 09-Feb-2024

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories Europe (EINECS/ELINCS/NLP), China (IECSC), Taiwan (TCSI), Korea (KECL), Japan (ENCS), Japan (ISHL), Canada (DSL/NDSL), Australia (AICS), New Zealand (NZIoC), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

Component	CAS No	EINECS	ELINCS	NLP	IECSC	TCSI	KECL	ENCS	ISHL
Sulfuric acid	7664-93-9	231-639-5	-	ı	X	X	KE-32570	X	X
Chromium (III) potassium sulfate,	7788-99-0	-	-	-	Х	X	-	Х	Х
dodecahydrate									
Sulfuric acid, disilver(1+) salt	10294-26-5	233-653-7	-	-	X	X	KE-12273	X	X
Potassium dichromate	7778-50-9	231-906-6	-	-	X	Х	KE-29094	Х	Х
Water	7732-18-5	231-791-2	-	-	Х	Х	KE-35400	Х	-

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	DSL	NDSL	AICS	NZIoC	PICCS
Sulfuric acid	7664-93-9	X	ACTIVE	X	-	X	X	X
Chromium (III) potassium sulfate, dodecahydrate	7788-99-0	-	-	-	-	Х	Х	Х
Sulfuric acid, disilver(1+) salt	10294-26-5	X	ACTIVE	X	-	Х	Х	Х
Potassium dichromate	7778-50-9	X	ACTIVE	X	Ī	X	Х	X
Water	7732-18-5	Х	ACTIVE	Χ	-	Χ	Х	Χ

Legend: X - Listed '-' - Not Listed KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

### Authorisation/Restrictions according to EU REACH

Component	CAS No	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	Substances	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Sulfuric acid	7664-93-9	-	Use restricted. See item 75. (see link for restriction details)	-
Chromium (III) potassium sulfate, dodecahydrate	7788-99-0	-	-	-
Sulfuric acid, disilver(1+) salt	10294-26-5	-	-	-
Potassium dichromate	7778-50-9	Carcinogenic Category 1B, Mutagenic Category 1B, Toxic for reproduction Category 1B Article 57 Application date: March 21, 2016 Sunset date: September 21, 2017 Exemption - None	Use restricted. See item 72. (see link for restriction details) Use restricted. See item 28. (see link for restriction details) Use restricted. See item 29. (see link for restriction details) Use restricted. See item 30. (see link for restriction details) Use restricted. See item 75. (see link for restriction details) Use restricted. See item 47. (see link for restriction details) Use restricted. See item 47. (see link for restriction details)	SVHC Candidate list - 231-906-6 - Carcinogenic, Article 57a; Mutagenic, Article 57b; Toxic for reproduction, Article 57c
Water	7732-18-5	-	-	-

After the sunset date the use of this substance requires either an authorization or can only be used for exempted uses, e.g. use in

#### Ficodox Plus - mixed COD reagent

Revision Date 09-Feb-2024

scientific research and development which includes routine analytics or use as intermediate.

#### **REACH links**

https://echa.europa.eu/authorisation-list https://echa.europa.eu/substances-restricted-under-reach https://echa.europa.eu/candidate-list-table

### Seveso III Directive (2012/18/EC)

Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements
Sulfuric acid	7664-93-9	Not applicable	Not applicable
Chromium (III) potassium sulfate, dodecahydrate	7788-99-0	Not applicable	Not applicable
Sulfuric acid, disilver(1+) salt	10294-26-5	Not applicable	Not applicable
Potassium dichromate	7778-50-9	Not applicable	Not applicable
Water	7732-18-5	Not applicable	Not applicable

Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals

Not applicable

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)? Not applicable

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work .

Take note of Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values

Take note of Dir 76/769/EEC relating to restrictions on the marketing and use of certain dangerous substances and preparations

### **National Regulations**

UK - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

#### **WGK Classification**

Water endangering class = 3 (self classification)

Component	Germany - Water Classification (AwSV)	Germany - TA-Luft Class
Sulfuric acid	WGK1	
Chromium (III) potassium sulfate,	WGK2	
dodecahydrate		
Potassium dichromate	WGK3	

Component	France - INRS (Tables of occupational diseases)		
Potassium dichromate	Tableaux des maladies professionnelles (TMP) - RG 10,RG 10bis,RG 10ter		

Component	Switzerland - Ordinance on the Reduction of Risk from handling of hazardous substances preparation (SR 814.81)	Switzerland - Ordinance on Incentive Taxes on Volatile Organic Compounds (OVOC)	Switzerland - Ordinance of the Rotterdam Convention on the Prior Informed Consent Procedure
Sulfuric acid	Prohibited and Restricted		
7664-93-9 ( 85 )	Substances		
Potassium dichromate	Prohibited and Restricted		
7778-50-9 ( 0.1 )	Substances		

Chemical Safety Assessment/Reports (CSA/CSR) are not required for mixtures

### **SECTION 16: OTHER INFORMATION**

### Full text of H-Statements referred to under sections 2 and 3

H290 - May be corrosive to metals

H314 - Causes severe skin burns and eye damage

H318 - Causes serious eye damage

H340 - May cause genetic defects

H350 - May cause cancer

H412 - Harmful to aquatic life with long lasting effects

H301 - Toxic if swallowed

H312 - Harmful in contact with skin

H317 - May cause an allergic skin reaction

H330 - Fatal if inhaled

H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled

H360FD - May damage fertility. May damage the unborn child

H360Fd - May damage fertility. Suspected of damaging the unborn child

H372 - Causes damage to organs through prolonged or repeated exposure

H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

H272 - May intensify fire; oxidizer

### Legend

**CAS** - Chemical Abstracts Service

TSCA - United States Toxic Substances Control Act Section 8(b)

EINECS/ELINCS - European Inventory of Existing Commercial Chemical DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances/EU List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

Inventory

Substances List

**ENCS** - Japanese Existing and New Chemical Substances AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

WEL - Workplace Exposure Limit

ACGIH - American Conference of Governmental Industrial Hygienists

**DNEL** - Derived No Effect Level

RPE - Respiratory Protective Equipment

LC50 - Lethal Concentration 50%

NOEC - No Observed Effect Concentration

PBT - Persistent, Bioaccumulative, Toxic

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

Predicted No Effect Concentration (PNEC)

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50%

POW - Partition coefficient Octanol:Water

vPvB - very Persistent, very Bioaccumulative

ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road

IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code

OECD - Organisation for Economic Co-operation and Development

**BCF** - Bioconcentration factor

ICAO/IATA - International Civil Aviation Organization/International Air Transport Association

MARPOL - International Convention for the Prevention of Pollution from Ships

ATE - Acute Toxicity Estimate

VOC - (Volatile Organic Compound)

#### Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

### Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

**Physical hazards** On basis of test data **Health Hazards** Calculation method **Environmental hazards** Calculation method

#### **Training Advice**

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

Chemical incident response training.

**Creation Date** 

Ficodox Plus - mixed COD reagent

Revision Date 09-Feb-2024

Revision Date 09-Feb-2024 Revision Summary Not applicable.

This safety data sheet complies with Regulation UK SI 2019/758 and UK SI 2020/1577 as amended.

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

## **End of Safety Data Sheet**