

according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended

Creation Date 24-Jan-2018 Revision Date 15-Feb-2024 Revision Number 3

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product Description: Copper based low temperature water gas shift catalyst, HiFUEL® W220

Cat No. : 45466

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Laboratory chemicals.
Uses advised against No Information available

1.3. Details of the supplier of the safety data sheet

Company

Avocado Research Chemicals Ltd. (Part of Thermo Fisher Scientific)

Shore Road, Heysham Lancashire, LA3 2XY, United Kingdom

Office Tel: +44 (0) 1524 850506 Office Fax: +44 (0) 1524 850608

E-mail address begel.sdsdesk@thermofisher.com

1.4. Emergency telephone number

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

## **SECTION 2: HAZARDS IDENTIFICATION**

#### 2.1. Classification of the substance or mixture

## CLP Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567

#### **Physical hazards**

Based on available data, the classification criteria are not met

## **Health hazards**

Based on available data, the classification criteria are not met

## **Environmental hazards**

Acute aquatic toxicity Category 1 (H400)

ALFAA45466

Copper based low temperature water gas shift catalyst, HiFUEL® W220

Chronic aquatic toxicity Category 1 (H410)

Full text of Hazard Statements: see section 16

#### 2.2. Label elements



## Signal Word

#### Warning

#### **Hazard Statements**

H410 - Very toxic to aquatic life with long lasting effects

## **Precautionary Statements**

P273 - Avoid release to the environment

P391 - Collect spillage

P501 - Dispose of contents/ container to an approved waste disposal plant

#### 2.3. Other hazards

Toxic to terrestrial vertebrates

This product does not contain any known or suspected endocrine disruptors

## **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

## 3.2. Mixtures

| Component          | CAS No    | EC No             | Weight % | CLP Classification - According to     |
|--------------------|-----------|-------------------|----------|---------------------------------------|
|                    |           |                   |          | GB-CLP Regulations UK SI 2019/720 and |
|                    |           |                   |          | UK SI 2020/1567                       |
| Copper oxide       | 1317-38-0 | EEC No. 215-269-1 | 52       | Aquatic Acute 1 (H400)                |
|                    |           |                   |          | Aquatic Chronic 1 (H410)              |
| Zinc oxide         | 1314-13-2 | 215-222-5         | 30       | Aquatic Acute 1 (H400)                |
|                    |           |                   |          | Aquatic Chronic 1 (H410)              |
| Aluminum oxide     | 1344-28-1 | 215-691-6         | 17       | -                                     |
| Activated charcoal | 7440-44-0 | EEC No. 231-153-3 | 1        | -                                     |

| Component    | Specific concentration limits (SCL's) | M-Factor                    | Component notes |
|--------------|---------------------------------------|-----------------------------|-----------------|
| Copper oxide | -                                     | 100 (acute)<br>10 (chronic) | -               |
| Zinc oxide   | -                                     | 10                          | -               |

Full text of Hazard Statements: see section 16

## **SECTION 4: FIRST AID MEASURES**

## 4.1. Description of first aid measures

Revision Date 15-Feb-2024

Copper based low temperature water gas shift catalyst, HiFUEL® W220

Revision Date 15-Feb-2024

**General Advice** If symptoms persist, call a physician.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get

medical attention.

**Skin Contact** Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists,

call a physician.

**Ingestion** Clean mouth with water and drink afterwards plenty of water. Get medical attention if

symptoms occur.

**Inhalation** Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if

symptoms occur.

Self-Protection of the First Aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination.

4.2. Most important symptoms and effects, both acute and delayed

None reasonably foreseeable.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

## **SECTION 5: FIREFIGHTING MEASURES**

#### 5.1. Extinguishing media

#### **Suitable Extinguishing Media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam.

#### Extinguishing media which must not be used for safety reasons

No information available.

#### 5.2. Special hazards arising from the substance or mixture

Do not allow run-off from fire-fighting to enter drains or water courses.

#### **Hazardous Combustion Products**

Copper oxides.

#### 5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## **SECTION 6: ACCIDENTAL RELEASE MEASURES**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Use personal protective equipment as required. Avoid dust formation.

#### 6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system. Do not allow material to contaminate ground water system. Prevent product from entering drains. Local authorities should be advised if significant spillages cannot be contained. Should not be released into the environment.

Copper based low temperature water gas shift catalyst, HiFUEL® W220

Revision Date 15-Feb-2024

#### 6.3. Methods and material for containment and cleaning up

Sweep up and shovel into suitable containers for disposal. Keep in suitable, closed containers for disposal.

#### 6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

## **SECTION 7: HANDLING AND STORAGE**

#### 7.1. Precautions for safe handling

Wear personal protective equipment/face protection. Ensure adequate ventilation. Do not get in eyes, on skin, or on clothing. Avoid ingestion and inhalation. Avoid dust formation.

#### **Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

#### 7.2. Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

Technical Rules for Hazardous Substances (TRGS) 510 Storage Class (LGK) (Germany) Class 13

## 7.3. Specific end use(s)

Use in laboratories

## **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### 8.1. Control parameters

#### **Exposure limits**

List source(s): **UK** - EH40/2005 Work Exposure Limits, Fourth edition. Published 2020. **IRE -** 2021 Code of Practice for the Chemical Agents Regulations, Schedule 1. Published by the Health and Safety Authority

| Component      | The United Kingdom                | European Union | Ireland                              |
|----------------|-----------------------------------|----------------|--------------------------------------|
| Copper oxide   | STEL: 2 mg/m <sup>3</sup> 15 min  |                |                                      |
|                | TWA: 1 mg/m <sup>3</sup> 8 hr     |                |                                      |
| Zinc oxide     |                                   |                | TWA: 2 mg/m <sup>3</sup> 8 hr. fume; |
|                |                                   |                | respirable fraction                  |
|                |                                   |                | STEL: 10 mg/m <sup>3</sup> 15 min    |
| Aluminum oxide | STEL: 30 mg/m <sup>3</sup> 15 min |                |                                      |
|                | STEL: 12 mg/m <sup>3</sup> 15 min |                |                                      |
|                | TWA: 10 mg/m <sup>3</sup> 8 hr    |                |                                      |
|                | TWA: 4 mg/m <sup>3</sup> 8 hr     |                |                                      |

#### **Biological limit values**

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

Derived No Effect Level (DNEL) / Derived Minimum Effect Level (DMEL)

See table for values

Revision Date 15-Feb-2024

#### Copper based low temperature water gas shift catalyst, HiFUEL® W220

| Component                      | Component Acute effects local (Dermal) |  | Chronic effects local (Dermal) | Chronic effects systemic (Dermal) |
|--------------------------------|--|--|--------------------------------|-----------------------------------|
| Zinc oxide<br>1314-13-2 ( 30 ) |  |  |                                | DNEL = 83mg/kg<br>bw/dav          |

| Component                        | Acute effects local | Acute effects         | Chronic effects local        | Chronic effects           |
|----------------------------------|---------------------|-----------------------|------------------------------|---------------------------|
|                                  | (Inhalation)        | systemic (Inhalation) | (Inhalation)                 | systemic (Inhalation)     |
| Zinc oxide<br>1314-13-2 ( 30 )   |                     |                       | DNEL = 0.5mg/m <sup>3</sup>  | DNEL = 5mg/m <sup>3</sup> |
| Activated charcoal 7440-44-0 (1) |                     |                       | DNEL = 1.84mg/m <sup>3</sup> |                           |

#### **Predicted No Effect Concentration (PNEC)**

See values below.

| Component          | Fresh water       | Fresh water | Water Intermittent | Microorganisms in | Soil (Agriculture) |
|--------------------|-------------------|-------------|--------------------|-------------------|--------------------|
|                    |                   | sediment    |                    | sewage treatment  |                    |
| Zinc oxide         | PNEC = 20.6µg/L   | PNEC =      |                    | PNEC = 100µg/L    | PNEC = 35.6mg/kg   |
| 1314-13-2 ( 30 )   |                   | 117.8mg/kg  |                    |                   | soil dw            |
| 1                  |                   | sediment dw |                    |                   |                    |
| Aluminum oxide     | PNEC = 0.3136µg/L |             | PNEC = 3.136µg/L   | PNEC = 20mg/L     |                    |
| 1344-28-1 ( 17 )   |                   |             |                    | -                 |                    |
| Activated charcoal |                   |             |                    |                   | PNEC = 10mg/kg     |
| 7440-44-0 ( 1 )    |                   |             |                    |                   | soil dw            |

| Component        | Marine water   | Marine water sediment | Marine water intermittent | Food chain | Air |
|------------------|----------------|-----------------------|---------------------------|------------|-----|
| Zinc oxide       | PNEC = 6.1µg/L | PNEC = 56.5mg/kg      |                           |            |     |
| 1314-13-2 ( 30 ) |                | sediment dw           |                           |            |     |

#### 8.2. Exposure controls

#### **Engineering Measures**

Ensure adequate ventilation, especially in confined areas.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

#### Personal protective equipment

Eye Protection V

Wear safety glasses with side shields (or goggles) (European standard - EN 166)

Hand Protection Protective gloves

| Natural rubber see manufacturers - EN 374 (minimum requirement)  Nitrile rubber recommendations  Neoprene  PVC | Neoprene | Breakthrough time<br>See manufacturers<br>recommendations | Glove thickness | EU standard<br>EN 374 | Glove comments<br>(minimum requirement) |
|--|----------|---|-----------------|-----------------------|---|
|--|----------|---|-----------------|-----------------------|---|

**Skin and body protection** Long sleeved clothing.

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

**Respiratory Protection**When workers are facing concentrations above the exposure limit they must use

appropriate certified respirators.

To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly

Copper based low temperature water gas shift catalyst, HiFUEL® W220

Large scale/emergency use Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits

> are exceeded or if irritation or other symptoms are experienced Recommended Filter type: Particulates filter conforming to EN 143

Small scale/Laboratory use Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure

limits are exceeded or if irritation or other symptoms are experienced.

Recommended half mask:- Particle filtering: EN149:2001 When RPE is used a face piece Fit Test should be conducted

**Environmental exposure controls** Prevent product from entering drains. Do not allow material to contaminate ground water

system. Local authorities should be advised if significant spillages cannot be contained.

Solid

Revision Date 15-Feb-2024

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1. Information on basic physical and chemical properties

**Physical State** Solid Pellets

**Appearance** 

Odor No information available **Odor Threshold** No data available Melting Point/Range No data available No data available **Softening Point Boiling Point/Range** Not applicable

Flammability (liquid) Not applicable

No information available Flammability (solid,gas)

No data available **Explosion Limits** 

**Flash Point** Not applicable Method - No information available

**Autoignition Temperature** No data available **Decomposition Temperature** No data available Not applicable pН

**Viscosity** Not applicable Solid

Water Solubility Insoluble

Solubility in other solvents No information available

Partition Coefficient (n-octanol/water)

No data available Vapor Pressure **Density / Specific Gravity** No data available No data available **Bulk Density Vapor Density** Not applicable

Solid

Particle characteristics No data available

9.2. Other information

**Evaporation Rate** Not applicable - Solid

## SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity None known, based on information available

10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

**Hazardous Polymerization** No information available. **Hazardous Reactions** None under normal processing.

Copper based low temperature water gas shift catalyst, HiFUEL® W220

Revision Date 15-Feb-2024

10.4. Conditions to avoid

Incompatible products. Excess heat.

10.5. Incompatible materials

. Oxidizing agent.

## 10.6. Hazardous decomposition products

Copper oxides.

## **SECTION 11: TOXICOLOGICAL INFORMATION**

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### **Product Information**

(a) acute toxicity;

Oral Based on available data, the classification criteria are not met

DermalNo data availableInhalationNo data available

#### Toxicology data for the components

| Component          | LD50 Oral  | LD50 Dermal                  | LC50 Inhalation                        |
|--------------------|--|------------------------------|--|
| Copper oxide       | -  | LD50 > 2000 mg/kg (Rat)      | -                                      |
| Zinc oxide         | LD50 > 5000 mg/kg (Rat)                                  | LD50 > 2000 mg/kg, 24h (Rat) | LC50 > 5.7 mg/L, 4h (Rat)              |
| Aluminum oxide     | Aluminum oxide > 5000 mg/kg ( Rat ) (OECD Guideline 401) |                              | > 2.3 mg/l 4 h<br>(OECD Guideline 403) |
| Activated charcoal | LD50 > 10000 mg/kg (Rat)                                 | -                            | -                                      |

(b) skin corrosion/irritation; No data available

(c) serious eye damage/irritation; No data available

(d) respiratory or skin sensitization;

Respiratory No data available Skin No data available

| Component        | Test method             | Test species | Study result    |
|------------------|-------------------------|--------------|-----------------|
| Zinc oxide       | in vivo                 | guinea pig   | non-sensitising |
| 1314-13-2 ( 30 ) | OECD Test Guideline 406 |              | _               |
|                  | Test method B.6         |              |                 |

## (e) germ cell mutagenicity; No data available

| Component                      | Test method                               | Test species         | Study result |
|--------------------------------|---|----------------------|--------------|
| Zinc oxide<br>1314-13-2 ( 30 ) | in vitro<br>OECD Test Guideline 471       | in vitro: Bacteria   | negative     |
|                                | Bacterial Reverse Mutation Test           |                      |              |
|                                | in vivo OECD Test Guideline 474 Mammalian | in vivo<br>Mammalian | negative     |

(f) carcinogenicity; No data available

The table below indicates whether each agency has listed any ingredient as a carcinogen

| Component      | EU | UK | Germany             | IARC |
|----------------|----|----|---------------------|------|
| Aluminum oxide |    |    | Cat. 2 (Fibre dust) |      |

Copper based low temperature water gas shift catalyst, HiFUEL® W220

Revision Date 15-Feb-2024

(g) reproductive toxicity; No data available

(h) STOT-single exposure; No data available

(i) STOT-repeated exposure; No data available

Target Organs No information available.

(j) aspiration hazard; Not applicable

Solid

Symptoms / effects,both acute and No information available.

delayed

#### 11.2. Information on other hazards

Endocrine Disrupting Properties Assess endocrine disrupting properties for human health. This product does not contain any

known or suspected endocrine disruptors.

## **SECTION 12: ECOLOGICAL INFORMATION**

12.1. Toxicity

Ecotoxicity effects The product contains following substances which are hazardous for the environment. Very

toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. May cause long-term adverse effects in the environment. Do not allow

material to contaminate ground water system.

| Component    | Freshwater Fish                             | Water Flea                   | Freshwater Algae |
|--------------|---|------------------------------|------------------|
| Copper oxide | Onchorhynchus mykiss: LC50:                 | Daphnia: EC50: 0.04 mg/L/48h |                  |
|              | 25 mg/L/48h                                 |                              |                  |
| Zinc oxide   | LC50: = 1.55 mg/L, 96h static (Danio rerio) |                              |                  |
|              | , ,   |                              |                  |

| Component    | Microtox | M-Factor     |
|--------------|----------|--------------|
| Copper oxide |          | 100 (acute)  |
|              |          | 10 (chronic) |
| Zinc oxide   |          | 10           |

12.2. Persistence and degradability Product contains heavy metals. Discharge into the environment must be avoided. Special

pre-treatment is necessary Insoluble in water, May persist.

Persistence Insoluble in water, May persist.

Degradability Not relevant for inorganic substances.

Degradation in sewage Contains substances known to be hazardous to the environment or not degradable in waste

**treatment plant** water treatment plants.

12.3. Bioaccumulative potential May have some potential to bioaccumulate; Product has a high potential to bioconcentrate

12.4. Mobility in soil Spillage unlikely to penetrate soil Is not likely mobile in the environment due its low water

solubility.

12.5. Results of PBT and vPvB No

assessment

No data available for assessment.

Copper based low temperature water gas shift catalyst, HiFUEL® W220

12.6. Endocrine disrupting

properties

**Endocrine Disruptor Information** This product does not contain any known or suspected endocrine disruptors

12.7. Other adverse effects

**Persistent Organic Pollutant Ozone Depletion Potential** 

This product does not contain any known or suspected substance This product does not contain any known or suspected substance

## **SECTION 13: DISPOSAL CONSIDERATIONS**

13.1. Waste treatment methods

Waste from Residues/Unused

**Products** 

Should not be released into the environment. Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in

Revision Date 15-Feb-2024

accordance with local regulations.

**Contaminated Packaging** Dispose of this container to hazardous or special waste collection point.

**European Waste Catalogue (EWC)** According to the European Waste Catalog, Waste Codes are not product specific, but

application specific.

Other Information Do not flush to sewer. Waste codes should be assigned by the user based on the

application for which the product was used. Do not empty into drains. Do not let this

chemical enter the environment.

## **SECTION 14: TRANSPORT INFORMATION**

### IMDG/IMO

14.1. UN number UN3077

Environmentally hazardous substances, solid, n.o.s. 14.2. UN proper shipping name

Copper oxide, Zinc oxide **Technical Shipping Name** 

14.3. Transport hazard class(es)

Ш 14.4. Packing group

ADR

14.1. UN number UN3077

14.2. UN proper shipping name Environmentally hazardous substances, solid, n.o.s.

**Technical Shipping Name** Copper oxide, Zinc oxide

14.3. Transport hazard class(es)

Ш 14.4. Packing group

IATA

14.1. UN number

14.2. UN proper shipping name Environmentally hazardous substances, solid, n.o.s.

**Technical Shipping Name** Copper oxide, Zinc oxide

14.3. Transport hazard class(es) Ш

14.4. Packing group

14.5. Environmental hazards Dangerous for the environment

Product is a marine pollutant according to the criteria set by IMDG/IMO

14.6. Special precautions for user No special precautions required.

Revision Date 15-Feb-2024

14.7. Maritime transport in bulk according to IMO instruments

Not applicable, packaged goods

## **SECTION 15: REGULATORY INFORMATION**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## **International Inventories**

Europe (EINECS/ELINCS/NLP), China (IECSC), Taiwan (TCSI), Korea (KECL), Japan (ENCS), Japan (ISHL), Canada (DSL/NDSL), Australia (AICS), New Zealand (NZIoC), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

| Component          | CAS No    | EINECS    | ELINCS | NLP | IECSC | TCSI | KECL     | ENCS | ISHL |
|--------------------|-----------|-----------|--------|-----|-------|------|----------|------|------|
| Copper oxide       | 1317-38-0 | 215-269-1 | ı      | 1   | X     | X    | KE-08942 | X    | X    |
| Zinc oxide         | 1314-13-2 | 215-222-5 | -      | -   | X     | X    | KE-35565 | X    | Х    |
| Aluminum oxide     | 1344-28-1 | 215-691-6 | -      | -   | X     | Χ    | KE-01012 | X    | Х    |
| Activated charcoal | 7440-44-0 | 231-153-3 | -      | -   | Х     | Х    | KE-04671 | X    | -    |

| Component          | CAS No    | TSCA | TSCA Inventory<br>notification -<br>Active-Inactive | DSL | NDSL | AICS | NZIoC | PICCS |
|--------------------|-----------|------|---|-----|------|------|-------|-------|
| Copper oxide       | 1317-38-0 | Х    | ACTIVE  | Х   | -    | X    | Х     | Х     |
| Zinc oxide         | 1314-13-2 | Х    | ACTIVE  | Х   | -    | Х    | Х     | Х     |
| Aluminum oxide     | 1344-28-1 | Х    | ACTIVE  | Х   | -    | Х    | Х     | Х     |
| Activated charcoal | 7440-44-0 | Х    | ACTIVE  | Х   | -    | Х    | Х     | Х     |

Legend: X - Listed '-' - Not Listed KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

#### Authorisation/Restrictions according to EU REACH

| Component          | CAS No    | REACH (1907/2006) -<br>Annex XIV - Substances<br>Subject to Authorization | REACH (1907/2006) -<br>Annex XVII - Restrictions<br>on Certain Dangerous<br>Substances | REACH Regulation (EC<br>1907/2006) article 59 -<br>Candidate List of<br>Substances of Very High<br>Concern (SVHC) |
|--------------------|-----------|---|--|---|
| Copper oxide       | 1317-38-0 | -   | -  | -   |
| Zinc oxide         | 1314-13-2 | -   | Use restricted. See item<br>75.<br>(see link for restriction<br>details)               | -   |
| Aluminum oxide     | 1344-28-1 | -   | -  | -   |
| Activated charcoal | 7440-44-0 | -   | Use restricted. See item 75. (see link for restriction details)                        | -   |

#### **REACH links**

https://echa.europa.eu/substances-restricted-under-reach

#### Seveso III Directive (2012/18/EC)

| Component          | CAS No    | Seveso III Directive (2012/18/EC) -<br>Qualifying Quantities for Major Accident<br>Notification | Seveso III Directive (2012/18/EC) -<br>Qualifying Quantities for Safety Report<br>Requirements |
|--------------------|-----------|---|--|
| Copper oxide       | 1317-38-0 | Not applicable  | Not applicable   |
| Zinc oxide         | 1314-13-2 | Not applicable  | Not applicable   |
| Aluminum oxide     | 1344-28-1 | Not applicable  | Not applicable   |
| Activated charcoal | 7440-44-0 | Not applicable  | Not applicable   |

Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals

Not applicable

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)?

## Copper based low temperature water gas shift catalyst, HiFUEL® W220

Not applicable

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work .

#### **National Regulations**

UK - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

**WGK Classification** 

Water endangering class = 3 (self classification)

| Component          | Germany - Water Classification (AwSV) | Germany - TA-Luft Class |
|--------------------|---------------------------------------|-------------------------|
| Copper oxide       | WGK 3                                 |                         |
| Zinc oxide         | WGK2                                  |                         |
| Aluminum oxide     | nwg                                   |                         |
| Activated charcoal | nwg                                   |                         |

#### 15.2. Chemical safety assessment

Chemical Safety Assessment/Reports (CSA/CSR) are not required for mixtures

## **SECTION 16: OTHER INFORMATION**

#### Full text of H-Statements referred to under sections 2 and 3

H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

#### Legend

**CAS** - Chemical Abstracts Service

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

Revision Date 15-Feb-2024

EINECS/ELINCS - European Inventory of Existing Commercial Chemical DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances/EU List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances **IECSC** - Chinese Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**ENCS** - Japanese Existing and New Chemical Substances AICS - Australian Inventory of Chemical Substances NZIoC - New Zealand Inventory of Chemicals

WEL - Workplace Exposure Limit

ACGIH - American Conference of Governmental Industrial Hygienists

**DNEL** - Derived No Effect Level

RPE - Respiratory Protective Equipment LC50 - Lethal Concentration 50% NOEC - No Observed Effect Concentration PBT - Persistent, Bioaccumulative, Toxic

TWA - Time Weighted Average IARC - International Agency for Research on Cancer

Predicted No Effect Concentration (PNEC)

LD50 - Lethal Dose 50%

Transport Association

Substances List

EC50 - Effective Concentration 50% POW - Partition coefficient Octanol:Water vPvB - very Persistent, very Bioaccumulative

ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road

IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code

MARPOL - International Convention for the Prevention of Pollution from Ships

ICAO/IATA - International Civil Aviation Organization/International Air

OECD - Organisation for Economic Co-operation and Development **BCF** - Bioconcentration factor

ATE - Acute Toxicity Estimate VOC - (Volatile Organic Compound)

#### Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

Copper based low temperature water gas shift catalyst, HiFUEL® W220

Revision Date 15-Feb-2024

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Physical hazards
Health Hazards
Calculation method
Environmental hazards
Cn basis of test data
Calculation method

#### **Training Advice**

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards

First aid for chemical exposure, including the use of eye wash and safety showers.

Chemical incident response training.

Prepared By Health, Safety and Environmental Department

Creation Date24-Jan-2018Revision Date15-Feb-2024

**Revision Summary** New emergency telephone response service provider.

# This safety data sheet complies with Regulation UK SI 2019/758 and UK SI 2020/1577 as amended.

**Disclaimer** 

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

## **End of Safety Data Sheet**